Industrial Training Department

TENDER NOTICE

No. B1/2618/2008.

24th June 2009.

Principal, Government I.T.I., Dhanuvachapuram inviting Bids for Tools and Machineries for the trades of Production and Manufacturing Cluster under National Shopping Procedures.

SI. No.	File No. and Description of Bids	Bid Amount (Rs.)
1	B1-1585/2009—Hand Tools	33,960
2	B1-1586/2009—Measuring Instrument	2,33,300
3	BI-1587/2009-Preumatics and Hydraulic Equipments	4,52,000
4	B1-1583/2009-Machine Tools Cutters	40,000
5	B1-1589/2009—Electrical Equipments	1,71,300
6	B1-1590/2009-Simple Machine	1,89,000
7	B1-1591/2009—Gylinders (Welding)	86,000
8	B1-1760/2009—Software	1,40,000
9	B1-1592/2009—Computer Peripheral	2,86,000
10	B1-1593/2009—Furniture	64,000

Last date and time of receiving Bid-30-7-2009, 3 p. m.

Date and time of opening of Bids-30-7-2009, 4 p. m.

Delivery period-Within 15 days of the date of Supply Order.

Place of delivery-1, T.1. Store, Dhanuvachapuram.

Details available in the Website www.itidvpm.com and Phone No. I 0471 2232232.

പ്രിൻസിറ്റുമയു ഒരു ടി. ഒഎ., ധനുവളപുറം, ഫ്രോഡക്ഷൻ ആൻറ് മാനുഹാക്ചറിംഗ് ജസ്റററി ലേക്ക് യത്രോപകരണങ്ങാ സംഭരണം ചെയ്യുന്നതിന് ബിഡ് ഹോം ക്ഷണിച്ചുകൊള്ളുന്നു.

(കുക സംബർ	ഫയൽ നമ്പറും ബിഡിൻൊ വിഷാവും	ബിഡ് തുക (രൂപ)
W. C.	AND THE COUNTY OF THE COUNTY O	(100,000)
1	ബി -1585/2009—ഫാൻപ് ടുയസ് സംഭരണം	33,960
2	ബ് 1-1586/2000 മെഷറിംഗ് ഇൻഡ് (ടുമെൻറ്	2,33,300
3	ബി]-1587/2009ന്യൂമാററിക്ഡ് ആൻറ് ഫൈപ്രോളിക്	4,52,000
	എകുപ്രച്തിന്റ് സ്	
4	ബി]-[588/2009—മെഷിൻ ടൂരം കട്ടേഴ്സ്	40,000
5	ബി1. 1589/2009—ഇലക്രിക്കൻ എക്യുപ്മേൻറ്സ്	1,71,300
6	ബി(590/2009—സിഫിരം മെഷീൻ	1,89,000
7	ബി1-159(/2004 സിലിയോഴ്: സ് (ഹെത്ഡിംഗ്)	86,000
8	ബി -1760/2009 — സോഹാരാര് വെയർ	1,40,000
9	ബി]-1592/2009—കമ്പുൂട്ടർ ചെരിഫെറൽ	2,86,000
10	ബി (-1,593/2009—ഫർണിച്ചർ	64,000

ബിഡ് സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—30-7-2009, 3 മണി.

ബിഡ് തുറക്കുന്ന തീയതിയും സമയവും 30-7-2009, 4 മണി.

വിതരണം ചെയ്യേണ്ട സമസം—സംബൂപ്പ ഓർഡർ തീയതി. മുതൽ 15 ദിവസത്തിനകം.

വിതരണം ചെയ്യേണ്ട സ്ഥലം --ഐ, ടി. ഐ. സ്റ്റോർ, ധനുവച്ചപുരം.

വിശദവിവരങ്ങൾ www.itidypm.com എന്ന വേബ്യൈനാറിലും 0471 2232282 എന്ന ഫോൺ നേഡരിലും ലഭ്യമാണ്.

SPECIFICATIONS AND QUANTITY

1. Hand Tools

- (1) Ordinary wooden mallet 500 gm-17
- (2) Angle Plate 200×100×200—3
- (3) Grinding wheel dresser (Diamond)-1
- (4) Angle plate Adjustable 250×150×175 mm [SI-1]
- (5) Twist drill 3,mm to 13 mm (raising by 1 mm) Par. Shank with ISI-2
- (6) Centre drill A1 to A5-2
- (7) Tap and die set M4 to M12-1
- (8) Reamer 6 num to 13 mm by 1 mm-1
- (9) Twist drill 3 mm to 13 mm (raising by 1 mm) taper Shank with ISI-2
- (10) Scriber 150 mm Straight HGS 177
- (11) Drill chuck 0 to 20 taper shank
- (12) Rivet set snap and dolly combined 3, 4 and 6 mm-4
- (13) Sheet hand groover 3, 4 and 5 mm-5
- (14) Pncumatic rivet gua-2
- (15) Trammel with beam 2 Metres—1
- (16) Pop rivet gun with Accessories, 1 mm to 5 mm-2

2. Measuring Instruments

- (1) Micrometer outside 50-75 mm, LC: 0.01 mm-2
- (2) Micrometer depth gauge 0-150 mm, LC: 0.01 mm-2
- (3) Vernier Height gauge 250 mm LG: 0.01 mm-3
- (4) Vernier Galiper 300 mm, LC: 0.02 mm direct reading dial-5
- (5) Vernier Bevel protractor Least count 5 minu, Range: 300 mm-2
- (6) Dial gauge with stand 10 mm, LC-0.01 mm-2
- (7) Telescopic gauge 13 to 300 mm (0-1)-1
- (3) Micrometer outside 0-25mm, LG-0.01 mm—2
- (9) 3 pin micrometer 10 to 25 mm, LC-0.01 mm (V-Anvil)-2
- (10) Slip gauge set metric-112 piece Base 1→1
- (11) Sine bar 200 mm with ISI-1
- (12) Dial test Indicator with magnetic stand type 1 grade with LC-0.01 mm magnetic stand—1
- (13) Lever type dial gauge 0.01 mm-2
- (14) Screw pitch gauge metric (0.5 to 7 mm) (18 leaves)-2
- (15) Radius gauge metric set 1 to 6 mm (34 pairs)-1
- (16) Feeler gauge 0.05-1 mm (13 leaves)—1
- (17) Steel Rule 60 cm English and metric-6
- (18) Steel tap 2 m—17

3. Pneumatic and Hydraulic

- (1) Air compressor stationery compression load 8 bar, suction capacity 200, 2 HP Fitted with 3 ph. Motor, Starter, Automatic pressure control switch displacement 8.3 Cu. Ft. pressure 9 kg/cm²—1
- (2) Priematic Trainer kit consisting of cylinders, different types of direction control valves, pressure control valves, gauge with accessories for construction and application of different type of priematic circuits—2
- (3) Hydraulic trainer kit with power pack consisting of cylinders, different types of directional control valves, pressure control valves and flow control valves with accessories for construction and application of different type of hydraulic circuits—2
- (4) Air compressor 4.0 kg/cm², displacement of air 3.10 Gu. Ft., Motor 0.5 HP with starter and Automatic pressure control switch—1

4. Machine Tool Cutters Side and face Milling cutters dia 150 x 12 mm, 27 mm bore HSS 10% Cobalt-2 (1) End Mill Cutter dia 5 to 20 mm (raising by 1 mm) 1 set HSS-1 (2)Side and face Milling cutter dia 100 x 10, 27 mm bore HSS-2 (3)Side and face Milling cutter dia 150 x 15 mm., 27 mm bore HSS-2 (4) Side and Face Milling cutter dia 100 x 12 mm, 27 mm bore HSS-2 (5) 5. Electrical Equipments DC power supply 0 to 110 V 5 amp with display-1 (1) Multimeter 0 to 5, 100, 200, 500 Milli Amp 1000 ~ 600V AC/DC-17 (2)(3) Megger 1000V, 100M ~ -1 (4)CRO 20 MHz, Dual-2 Digital multi meter 0 to 1000 volt, 0-10 M- with five steps-2 (5)Transformer single phase 500 m A/250/12V-4 (6) Electric drill Machine 6 mm universal type 250V-I (7) Universal motor 750 watt AC/DC 250V-2 (8) (9) Crimping tool (Hydraulic type)-1 Auto transformer Varriac 230V-1 (10)Rheostate Assorted values and ratings-25 (11) End cutting Nipper insulated 5 cm-16 (12)Tong Tester-1 (13)(14)Box spanner set 4-15mm-1 (15) LF Oscilloscope with attentionprobes—1 DC shant motor 1 HP 250V (Laboratory typ.)-2 (16)6. Simple Machines Pedestal grinder with 150 mm wheel rough and smooth with starter (D. O. L.), Eye shield, (1) wheel guard and Tool rest plate HIP, (Bench mounting Type), 3 phase-3 Hand drilling machine 12mm (electric), 750 watts-1 (2)Arbour fly press I ton Hand operated 300mm, 0.5mm-1 (3)Power back saw 7" Hydraulie with motor and starter, Blade size 14"-1 (4) Bench shear capacity upto 5mm Manually operated-1 (5) Light general protable Forge-2 (6) Sprey gan 560 ml-1 (7) Guilitotine sheer machine foot operated (Imt 18 gauge) capacity-1 (8)Circle cutting machine 300mm dia-1 (9)Snip roll former 1.6 x 1000-1 (10)Fly press/Ball press single body No. 4 Single Body-1 (II)Hand press breake capacity 0.8mm-1 (12) -Scaming machine-1 (13)Tin smith beach folder 600 x 1.6mm-1 (14)7. Cylinder (Welding) Oxygen cylinder 150 Kg/cm2-2 (1) Acetylene cylinder 15Kg/cm2-2 (2) Argon cylinder 150Kg/ cm2-2 (3) CO2 cylinder 150 Kg/cm2-2 (4) Fume extractors-? (5) Pressure regulator oxygen double stage ISI standard-2 (6) Pressure regulator acetylene double stage ISI standard-2 (7)Pressure regulator CO₂-2 (8) Pressure regulator Argon-2 (9) 8. Software Auto CAD 2009 or latest licensed version with license-1 (1) Master GAM 9 Mill and lathe latest edition with license-1 (2)CNG part program-simulsion software with GAD/GAM facility Siemens Simmerik 802D (3)or Fanue Mill and Turn-I

9. Computer Peripherals

- (1) Laser Printer (A4 size)-3
- (2) Dot Metrix Printer 180 column or A3 size-2
- (3) UPS 650 VA-1
- (4) TV Camera Digital colour-1
- (5) 1.5 Ton capacity Air Gonditioners—6

10. Furniture

- (1) White board size (6' x 4')-3
- (2) Steel shelf with door and lock (size 6' x 3.5' x 1.5') (almirah)-2
- (3) Work table anjili wood for fitting vices (1500 x 1200 x 750mm)-1

CONDITIONS

- 1. When ISI Certification marked goods are available in market, procurement should generally be limited to goods with those or equivalent marking only.
- 2. Government of India has received a credit from the International Development Association (IDA) in various currencies equivalent to USS... towards the cost of the Gousumable Items-World Bank Project and intends to apply part of the proceeds of this credit to eligible payments under the contract for which this invitation for quotations is issued.

3. Bid Price :

- (a) The contract shall be for the full quantity as described above. Corrections it any, shall be made by crossing out, initialing, dating and rewriting.
- (b) All duties, taxes and other levies payable on the raw materials and components shall be included in the total price.
- (c) Sales Tax in connection with the sale shall be shown separately.
- (d) The rates quoted by the bidder shall be fixed for the duration of the contract and shall not be subjected to adjustment on any account.
- (e) The prices shall be quoted in Indian Rupees only.
- 4. Each Bidder shall submit only one quotation.
- 5. Validity of Quotation—Quotation shall remain valid for a period not less than 15 days after the deadline date specified for submission.
- 6. Evaluation of Quotations—The purchaser will evaluate and compare the quotations determined to be substantially responsive i.e. which—
 - (a) are properly signed; and
 - (b) conform to the terms and conditions and specifications.
 - The Quotations would be evaluated separately for each item. Sales tax in connection with sale of goods shall not be taken into account in evaluation.
- Award of contract—The purchaser will award the contract to the bidder whose quotation
 has been determined to be substantially responsive and who has offered the lowest
 evaluated quotation price.
 - (1) Notwithstanding the above the purchaser reserves the right to accept or reject any quotations and to cancel the bidding process and reject all quotations at any time prior to the award of contract.
 - (2) The bidder whose bid is accepted will be notified of the award of contract by the purchaser prior to expiration of the quotation validity period. The terms of the accepted offer shall be incorporated in the purchase order.
- 8. Payment shall be made immediately after delivery of the goods.
- 9. Normal commercial warranty/guarantee shall be applicable to the supplied goods.

Office of the Principal, ITI, Dhanuvachapuram.